

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A fuse latch circuit comprising:

a fuse;

a first inverter in which an input end is connected to one end of the fuse;

a second inverter in which an input end is connected to an output end of the first inverter;

a first transistor of a first conductivity type, in which a first power supply potential is input to a source, a drain is connected to the one end of the fuse, and a pulse signal for initialization is input to a gate;

a second transistor of the first conductivity type, in which the first power supply potential is input to a source, a drain is connected to the one end of the fuse, and a gate is connected to the output end of the first inverter; and

a third transistor of a second conductivity type disposed immediately below the fuse, in which a second power supply potential is input to a source, a drain is connected to the other end of the fuse, and the pulse signal is input to a gate,

wherein conductance of the first transistor is higher than that of the second transistor.

Claim 2 (Original): The fuse latch circuit according to claim 1, wherein a circuit threshold value of the first inverter is set to a half value of a total value of the first power supply potential and the second power supply potential.

Claim 3 (Original): A semiconductor integrated circuit comprising:

a fuse latch circuit group comprised of a plurality of fuse latch circuits; and

an internal circuit which receives output signals of the fuse latch circuit group,

wherein each of said plurality of fuse latch circuits is the fuse latch circuit according to claim 1.

Claim 4 (Previously Presented): A semiconductor integrated circuit comprising:
a plurality of fuse latch circuit groups each comprised of a plurality of fuse latch circuits; and

an internal circuit which receives output signals of said plurality of fuse latch circuit groups,

wherein each of said plurality of fuse latch circuits is the fuse latch circuit according to claim 1, and the pulse signals are individually fed with different timings into said plurality of fuse latch circuit groups.

Claim 5 (Previously Presented): The semiconductor integrated circuit according to claim 4, wherein the pulse signals to be individually input to said plurality of fuse latch circuit groups do not overlap timewise with one another.

Claim 6 (Previously Presented): The semiconductor integrated circuit according to claim 5, wherein the timings with which the pulse signals are individually fed into said plurality of fuse latch circuit groups are controlled by a delay circuit having a delay time longer than at least a width of the pulse signal.

Claim 7 (Original): The fuse latch circuit according to claim 1, wherein the third transistor is formed immediately below an end portion of the fuse.

Claim 8 (Original): The fuse latch circuit according to claim 1, wherein the fuse latch circuit is used for a redundancy circuit of a memory.

Claim 9 (Original): The fuse latch circuit according to claim 1, wherein the fuse is an aluminum fuse.

Claim 10 (Original): The fuse latch circuit according to claim 1, wherein the fuse is an electrical fuse.

Claim 11 (Original): The fuse latch circuit according to claim 1, wherein the first transistor and the second transistor are each a p-channel MOS transistor.

Claim 12 (Original): The fuse latch circuit according to claim 1, wherein the third transistor is an n-channel MOS transistor.

Claim 13 (Original): The fuse latch circuit according to claim 1, wherein the second power supply potential is a ground potential.

Claim 14 (Original): The fuse latch circuit according to claim 1, wherein an output signal of the second inverter is fed into an internal circuit.

Claim 15 (Original): A memory comprising the fuse latch circuit according to claim 1.

Claim 16 (Original): A memory comprising the semiconductor integrated circuit according to claim 3.

Claim 17 (Original): A memory comprising the semiconductor integrated circuit according to claim 4.

Claim 18 (Original): A memory embedded microcomputer comprising the fuse latch circuit according to claim 1.

Claim 19 (Original): A memory embedded microcomputer comprising the semiconductor integrated circuit according to claim 3.

Claim 20 (Original): A memory embedded microcomputer comprising the semiconductor integrated circuit according to claim 4.